

TEST REPORT

VERITAS	:	LAB NO. : (9317)213-0078-R1 DATE : Sep 27, 2017 PAGE : 1 OF 25 The report is amendment of and supersedes the previous report (9317)213-0078 dated Aug 23, 2017 SHENZHEN FUJIA APPLIANCE CO., LTD. BLDG B1#, XUJINGCHANG TECHNOLOGY IND. PARK, HAOYE ROAD, XINHE VILLAGE FUYONG TOWN, BAO'AN DISTRICT, SHENZHEN
CONTACT PERSON	:	HENG LUO
DATE OF SUBMISSION	:	Aug 01, 2017
TEST PERIOD	:	Aug 15, 2017 to Aug 23, 2017
NO. OF WORKING DAYS	:	7
SAMPLE DESCRIPTION	:	Switching Adaptor
Color:		/
Style no. / Model no.:		See the list
P.O. No.:		/
Country of Origin:		China
Country of Destination:		/
MANUFACTURER	:	Shenzhen Fujia Appliance Co., Ltd. Bldg B1#, Xujingchang Technology Ind. Park, Haoye Road, Xinhe Village Fuyong Town, Bao'an District, Shenzhen

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION	REMARK
174 Candidate List of Substances of Very High		
Concern for authorization published by European	PASS	
Chemicals Agency (ECHA) Regarding Regulation	глээ	-
(EC) No. 1907/2006 concerning REACH		

LA

Bureau Veritas Consumer Products Services (Guangzhou) Co., Ltd

No. 183, Shinan Road, Meilin Plaza, Dongchong, Nansha, Guangzhou, Guangdong Province, China 511453

Tel: (86) 20 2290 2088 Fax: (86) 20 3490 9303 Email: BVCPS_pyinfo@cn.bureauveritas.com Website: cps.bureauveritas.com This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.cps.bureauveritas.com and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test sample identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot form which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report condents.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the company.



: (9317)213-0078-R1 : Sep 27, 2017 : 2 OF 25

Model no .:

1. Model:FJ-SWxyzn Series

'n' indicate plug type, n=E indicate EU plug type, n=B indicate UK plug type.

2. Model:FJ-SWxyz Series

'z'=E indicate EU plug type, z=B indicate UK plug type.

3. Model:FJ-SWxy Series

'x' is 3 digit number which represents the output voltage in volt after dividing by 10 in step of 0.5V, for example, 050 represents the output voltage is 5.0Vdc, 240 represents the output voltage is 24.0Vdc;

'y' is 4 digit number which represents the output current in ampere diving by 1000 in step of 0.001A, for example, 0500 represents the output current is 0.5 A, 6000 represents the output current is 6.0 A.

4. Model:FJ-SWxyD Series

'x' is 3 digit number which represents the output voltage in volt after dividing by 10 in step of 0.5V, for example, 050 represents the output voltage is 5.0Vdc, 240 represents the output voltage is 24.0Vdc;

'y' is 4 digit number which represents the output current in ampere diving by 1000 in step of 0.001A, for example, 0500 represents the output current is 0.5 A, 6000 represents the output current is 6.0 A.

5. Model:FJ-SWxyF Series

'x' is three digits, indicate 10 times output voltage in V, rising in steps of 0.5V.

For example 090=9V, 480=48V.

'y' Four digits, indicate output current in mA, rising in steps of 0.01A. For example 1000=1A, 8000=8A

6. Model:AT2412-xy Series

'x'=030-120, stands for output voltage:3-12V, x=030 means 3V.

'y'=0100-2500, stands for output current: 100mA-2500mA, y=0100 means 100mA.

7. Model:FJ-SWmxxxyyyzn Series

'm'=116 or 728

'n'=B, E, N, B means fixed UK plug provided, E means fixed European plug provided,

N means detachable plug provided.

8. Model:FJ-SWxxxyyyyzn Series

'n'=B, E, N, B means fixed UK plug provided, E means fixed European plug provided,

N means detachable plug provided.

9. Model:FJ-SWqxxxyyyzn Series

'q'=126 or 726

'n'=B, E, N, B means fixed UK plug provided, E means fixed European plug provided,

N means detachable plug provided.

only. company



(9317)213-0078-R1 Sep 27, 2017 3 OF 25

:

:

:

10. Model:FJ-SWxxxyyyyg Series

'g'= B, E, N, B means fixed UK plug provided, E means fixed European plug provided, N means detachable plug provided.

11. Model:FJ-SWxxxyyyyG Series

'G' = B, E, N, B means fixed UK plug provided, E means fixed European plug provided, N means detachable plug provided.

12. Model:FJ-SWxxxyyyyz Series

'z'= B, E, N, B means fixed UK plug provided, E means fixed European plug provided,

N means detachable plug provided.

- 13. Model:FJ-SWxxxyyyyM Series
- 14. Model:FJ-SW2018xxxyyyy Series
- 15. Model:FJ-SW2018xxxyyyyD Series
- 16. Model:FJ-SWxxxyyyzP Series
- 17. Model:FJ-SW198xxxyyyyn Series

'n' = B, E, B means fixed UK plug provided, E means fixed European plug provided.

18. Model:FJ-SW268050yyyyN Series,CD104,20328

'N' =B, E, B means fixed UK plug provided, E means fixed European plug provided.

- 19. Model:FJ-SW2660501000E, CD112
- 20. Model:OT-1608C
- 21. Model:FJ-SW961xxxyyyyzn Series

'n' =B, E, B means UK plug provided, E means European plug provided.

22. Model:FJ-SWaxxxyyyyzn Series

'a'=126L or 728L

'n'=B, E, N, B means fixed UK plug provided, E means fixed European plug provided,

N means detachable plug provided.

23. Model:FJ-SW266Bz050yn Series

'n' =B, E, N, B means fixed UK plug provided, E means fixed European plug provided,

N means detachable plug provided.

24. Model:FJ-SW307050yyyyN Series, FJ-SW307C050yyyyN Series, NEXT-04AC, NEXT-04AC-4P

only. company.



(9317)213-0078-R1 Sep 27, 2017 4 OF 25

:

:

:

25. Model:FJ-SW328zxxxyyyyn Series

'n' =B, E, N, B means fixed UK plug provided, E means fixed European plug provided, N means detachable plug provided.

26. Model:FJ-SW338xxxyyyyn Series

'n' =B, E, N, B means fixed UK plug provided, E means fixed European plug provided, N means detachable plug provided.

27. Model:FJ-SW368xxxyyyyn Series

'n' =B, E, N, B means fixed UK plug provided, E means fixed European plug provided, N means detachable plug provided.

- 28. Model:FJ-SW3006xxxyyyy Series
- 29. Model:FJ-SW2021xxxyyyyD Series
- 30. Model:WSMPS4-11-M1, WSMXB1-11-M1, WSMPS4-11-M3, WSMXB1-11-M3
- 31. Model: FJ-SW11A050yyyyn Series

'n'=B, E, B means fixed UK plug provided, E means fixed European plug provided °

32. Model:FJ-SW11B050yyyyn Series

'n'=B, E, B means fixed UK plug provided, E means fixed European plug provided \circ

33. Model: FJ-SW248xxxyyyyn Series, FJ-SW248Cxxxyyyyn Series

'n'=B, E, N, B means fixed UK plug provided, E means fixed European plug provided, N means detachable plug provided.

- 34. Model:FJ-SW339x050yN, CGTR-393-BLK
- 35. Model:FJ-SW360AN, FJ-SW360BN
- 36. Model: FJ-SW920znyyyyD Series, S610T5C1, S620T5C1
- 37. Model:FJ-SW2025xy Series
- 38. Model:FJ-SW2025xyD Series
- 39. Model:FJ-SW2026xy Series
- 40. Model:FJ-SW2026xyD Series
- 41. Model:FJ-SW2027xy, FJ-SW2027Axy Series
- 42. Model: FJ-SW2027xyD, FJ-SW2027AxyD Series

only. company.



: (9317)213-0078-R1 : Sep 27, 2017 5 OF 25

:

43. Model:FJ-SW332050yzn Series

'n'=B, E, B means fixed UK plug provided, E means fixed European plug provided,

44. Model: FJ-SW2017xxxyyyy Series

- 45. Model: FJ-SW2017xxxyyyyD Series
- 46. Model:FJ-SW2028xy, FJ-SW2028Axy Series

Model: FJ-SW2028xyD, FJ-SW2028Axy

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (GU	JANGZHO磁技艺、检测方面
Aime	1000 1000 1000 1000 1000 1000 1000 100
NINA REN SENIOR MANAGER	抓百々用早

REMARK

If there are questions or concerns on this report, please contact the following persons:

GENERAL TEL: a) FAX: BUSINESS SZ TEL: b) FAX: BUSINESS GZ TEL: FAX:

(86)755 83437287 (86)755 83439100 (86)755 21534695 (86)755 83439100 (86) 20 87148525 (86) 20 87148528

EMAIL: eechemical.sc@cn.bureauveritas.com WEBSITE cps.bureauveritas.cn



: (9317)213-0078-R1 : Sep 27, 2017 : 6 OF 25

Photo of the Submitted Sample





: (9317)213-0078-R1 : Sep 27, 2017 : 7 OF 25

Photograph of test item(s)



The content of this PDF file is in accordance with the original issued reports for reference

only. company.



: (9317)213-0078-R1 : Sep 27, 2017 : 8 OF 25



The content of this PDF file is in accordance with the original issued reports for reference

This Test Report cannot be reproduced, except in full, without prior written permission of the



: (9317)213-0078-R1 : Sep 27, 2017 : 9 OF 25





DATE PAGE

LAB NO. : (9317)213-0078-R1 : Sep 27, 2017 : 10 OF 25





DATE PAGE

LAB NO. : (9317)213-0078-R1 : Sep 27, 2017 : 11 OF 25





: (9317)213-0078-R1 : Sep 27, 2017 : 12 OF 25

TEST RESULT

174 Candidate List of Substances of Very High Concern for authorization published by European Chemicals Agency (ECHA) Regarding Regulation (EC) No. 1907/2006 concerning REACH

Test Method:	Analysis is based on GC, LC, IC, ICP, with various detection techniques and UV.					
Test Item(s)	Item / Component Description(s) (Location(s))	Style(s)				
1	black plastic(case)	-				
2	black plastic(connector, plug)	-				
3	black plastic(sleeve,wire)	-				
4	white plastic(wire jacket)	-				
5	black soft plastic(cork,base)	-				
6	black soft plastic(case,plug)	-				
7	black plastic(case,charge)	-				
8	black plastic(case)	-				
9	grey printed black plastic(wire jacket)	-				
10	grey printed black plastic(case)	-				
11	black plastic(case)	-				
12	black plastic(case)	-				
13	black plastic(case,plug)	-				
14	black plastic(case,plug)	-				
15	yellow soft plastic with ahdesive(tape)	-				
16	black plastic(cover,pcb)	-				
17	yellow/green plastic(wire jacket)	-				
18	black printed red plastic(wire jacket)	-				
19	black plastic(wire jacket)	-				
20	red rose plastic(wire jacket)	-				
21	silvery metal(cover,pcb)	-				
22	silvery metal(screw,pcb)	-				
23	silvery metal(support,pcb)	-				
24	silvery metal(nut,pcb)	-				
25	silvery plated golden metal(plug)	-				
26	silvery metal(plug)	-				
27	silvery metal(contact plate, charge)	-				
28	silvery metal(spring,charge)	-				
29	silvery metal(connector,plug)	-				
30	coppery metal(wire)	-				
31	silvery plated golden metal(plug)	-				
32	silvery/transparent body(fuse)	-				
33	bone/green pcb(pcb)	-				
34	brown/green pcb(pcb)	-				
35	green pcb(pcb)	-				
36	brown/green pcb(small pcb)	-				
37	green pcb(small pcb)	-				



: (9317)213-0078-R1 : Sep 27, 2017 : 13 OF 25

Maximum Allowable Limit :	0.1 % (Each of listed)						
Tast Hame(a)	Result						
Test Item(s)	Detected Analyte(s)	Conc.	Unit				
1+2+3+4+5+6 +7+8+9+10	ND	ND	%				
$\begin{array}{c} 11 + 12 + 13 + 14 \\ + 15 + 16 + 17 + 1 \\ 8 + 19 + 20 \end{array}$	ND	ND	%				
21+22+23+24 +25	ND	ND	%				
26+27+28+29 +30+31	ND	ND	%				
32+33+34+35 +36+37	N,N-dimethylformamide; dimethyl formamide	0.051	%				
32	ND	ND	%				
33	N,N-dimethylformamide; dimethyl formamide	0.030	%				
34	N,N-dimethylformamide; dimethyl formamide	0.018	%				
35	N,N-dimethylformamide; dimethyl formamide	0.030	%				
36	N,N-dimethylformamide; dimethyl formamide	0.075	%				
37	N,N-dimethylformamide; dimethyl formamide	0.056	%				

Note / Key :

ND = Not detected ">" = Greater than mg/kg = milligram(s) per kilogram = ppm = part(s) per million Detection Limit (Mg/Kg) : Please refer appendix. Conc. = Concentration

Remark :

- The list of Candidate List of Substances of Very High Concern for authorization published by European Chemicals Agency (ECHA) Regarding Regulation (EC) No. 1907/2006 concerning REACH and is summarized in table of Appendix.



: (9317)213-0078-R1 : Sep 27, 2017 : 14 OF 25

Annex

<u>174 Candidate List of Substances of Very High Concern for authorization published by European</u> <u>Chemicals Agency (ECHA) Regarding Regulation (EC) No. 1907/2006 concerning REACH</u>

No.	Substance name	CAS No.	EC No.	Detection Limit, %	Basis for identification as a SVHC
1	Triethyl arsenate*	15606-95-8	427-700-2	0.01	Carcinogenic
2	Anthracene	120-12-7	204-371-1	0.005	PBT
3	4,4'-Diaminodiphenyl methane (MDA)	101-77-9	202-974-4	0.005	Carcinogenic
4	Dibutyl phthalate (DBP)	84-74-2	201-557-4	0.005	Toxic for reproduction
5	Cobalt dichloride*	7646-79-9	231-589-4	0.01	Carcinogenic
6	Diarsenic pentaoxide*	1303-28-2	215-116-9	0.01	Carcinogenic
7	Diarsenic trioxide*	1327-53-3	215-481-4	0.01	Carcinogenic
8	Sodium dichromate*	7789-12-0 ⁽¹⁾ , 10588-01-9 ⁽²⁾	234-190-3	0.01	Carcinogenic; Mutagenic; Toxic for reproduction
9	5-tert-butyl-2,4,6-trinitro- m-xylene (musk xylene)	81-15-2	201-329-4	0.005	vPvB
10	Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	204-211-0	0.005	Toxic for reproduction
11	Hexabromo cyclododecane (HBCDD) and all major diastereoisomers identified: α - HBCDD β - HBCDD	3194-55-6 ⁽³⁾ , 25637-99-4 ⁽⁴⁾ 134237-50-6 134237-51-7	247-148-4, 221-695-9	0.005	PBT
	γ - HBCDD	134237-52-8			
12	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (SCCP)	85535-84-8	287-476-5	0.01	PBT, vPvB
13	Bis(tributyltin)oxide (TBTO)**	56-35-9	200-268-0	0.005	PBT
14	Lead hydrogen arsenate*	7784-40-9	232-064-2	0.01	Carcinogenic; Toxic for reproduction
15	Benzyl butyl phthalate (BBP)	85-68-7	201-622-7	0.005	Toxic for reproduction
16	2,4-Dinitrotoluene	121-14-2	204-450-0	0.005	Carcinogenic
17	Anthracene oil	90640-80-5	292-602-7	0.01	Carcinogenic, PBT, vPvB
18	Anthracene oil, anthracene paste, distn. Lights	91995-17-4	295-278-5	0.01	Carcinogenic; Mutagenic, PBT, vPvB



19	Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	295-275-9	0.01	Carcinogenic; Mutagenic, PBT, vPvB
20	Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.01	Carcinogenic; Mutagenic, PBT, vPvB
21	Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.01	Carcinogenic; Mutagenic, PBT, vPvB
22	Diisobutyl phthalate	84-69-5	201-553-2	0.005	Toxic for reproduction
23	Aluminosilicate, Refractory Ceramic Fibres* ^a	Index no. 65	0-017-00-8	0.01	Carcinogenic
24	Zirconia Aluminosilicate, Refractory Ceramic Fibres ^{*b}	Index no. 65	0-017-00-8	0.01	Carcinogenic
25	Lead chromate*	7758-97-6	231-846-0	0.01	Carcinogenic; Toxic for reproduction
26	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)*	12656-85-8	235-759-9	0.01	Carcinogenic; Toxic for reproduction
27	Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	215-693-7	0.01	Carcinogenic; Toxic for reproduction
28	Tris(2-chloroethyl) phosphate	115-96-8	204-118-5	0.005	Toxic for reproduction
29	Coal tar pitch, high temperature	65996-93-2	266-028-2	0.01	Carcinogenic, PBT, vPvB
30	Acrylamide	79-06-1	201-173-7	0.005	Carcinogenic; Mutagenic
31	Trichloroethylene	79-01-6	201-167-4	0.005	Carcinogenic
32	Boric acid*	10043-35-3, 11113-50-1	233-139-2 / 234-343-4	0.01	Toxic for reproduction
33	Disodium tetraborate, anhydrous*	1330-43-4 ⁽⁵⁾ , 12179-04-3 ⁽⁶⁾ , 1303-96-4 ⁽⁷⁾	215-540-4	0.01	Toxic for reproduction
34	Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	0.01	Toxic for reproduction
35	Sodium chromate*	7775-11-3	231-889-5	0.01	Carcinogenic; Mutagenic; Toxic for reproduction
36	Potassium chromate*	7789-00-6	232-140-5	0.01	Carcinogenic; Mutagenic
37	Ammonium dichromate*	7789-09-5	232-143-1	0.01	Carcinogenic; Mutagenic; Toxic for reproduction
38	Potassium dichromate*	7778-50-9	231-906-6	0.01	Carcinogenic; Mutagenic; Toxic for reproduction
39	Cobalt(II) sulphate*	10124-43-3	233-334-2	0.01	Carcinogenic; Toxic for reproduction

This Test Report cannot be reproduced, except in full, without prior written permission of the



: (9317)213-0078-R1 : Sep 27, 2017 : 16 OF 25

40	Cobalt(II) dinitrate*	10141-05-6	233-402-1	0.01	Carcinogenic; Toxic for reproduction
41	Cobalt(II) carbonate*	513-79-1	208-169-4	0.01	Carcinogenic; Toxic for reproduction
42	Cobalt(II) diacetate*	71-48-7	200-755-8	0.01	Carcinogenic; Toxic for reproduction
43	2-Methoxyethanol	109-86-4	203-713-7	0.005	Toxic for reproduction
44	2-Ethoxyethanol	110-80-5	203-804-1	0.005	Toxic for reproduction
45	Chromium trioxide*	1333-82-0	215-607-8	0.01	Carcinogenic; Mutagenic
46	Acid generated from chromium trioxide and their oligomers: Chromic acid* Dichromic acid* Oligomers of chromic	7738-94-5 13530-68-2	231-801-5 236-881-5	0.01	Carcinogenic
	acid and dichromic acid*	-	-		
47	2-Ethoxyethyl acetate	111-15-9	203-839-2	0.005	Toxic for reproduction
48	Strontium Chromate*	7789-06-2	232-142-6	0.01	Carcinogenic
49	1,2-benzenedicarboxylic acid, di-C7-11 branched alkyl ester and linear alkyl ester	68515-42-4	271-084-6	0.005	Toxic for reproduction
50	Hydrazine	302-01-2 7803-57-8	206-114-9	0.005	Carcinogenic
51	1-Methyl-2-pyrrolidone	872-50-4	212-828-1	0.005	Toxic for reproduction
52	1,2,3-trichloropropane	96-18-4	202-486-1	0.005	Toxic for reproduction
53	1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl ester, C7-rich (DIHP)	71888-89-6	276-158-1	0.005	Toxic for reproduction
54	Dichromium tris(chromate)*	24613-89-6	246-356-2	0.01	Carcinogenic
55	Potassium hydroxyoctaoxodizincated i-chromate*	11103-86-9	234-329-8	0.01	Carcinogenic
56	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	0.01	Carcinogenic
57	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	500-036-1	0.005	Carcinogenic
58	Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.005	Toxic for reproduction
59	2-Methoxyaniline; o-Anisidine	90-04-0	201-963-1	0.005	Carcinogenic



60	4-(1,1,3,3- tetramethylbutyl)phenol, (4-tert-Octylphenol)	140-66-9	205-426-2	0.005	Equivalent level of concern
61	1,2-Dichloroethane	107-06-2	203-458-1	0.005	Carcinogenic
62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.005	Toxic for reproduction
63	Arsenic acid*	7778-39-4	231-901-9	0.01	Carcinogenic
64	Calcium arsenate*	7778-44-1	231-904-5	0.01	Carcinogenic
65	Trilead diarsenate*	3687-31-8	222-979-5	0.01	Carcinogenic; Toxic for reproduction
66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.005	Toxic for reproduction
67	2,2'-dichloro-4,4'- methylenedianiline (MOCA)	101-14-4	202-918-9	0.005	Carcinogenic
68	Phenolphthalein	77-09-8	201-004-7	0.005	Carcinogenic
69	Lead azide, Lead diazide*	13424-46-9	236-542-1	0.01	Toxic for reproduction
70	Lead styphnate*	15245-44-0	239-290-0	0.01	Toxic for reproduction
71	Lead dipicrate*	6477-64-1	229-335-2	0.01	Toxic for reproduction
72	1,2-bis(2- methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	203-977-3	0.005	Toxic for reproduction
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.005	Toxic for reproduction
74	Diboron trioxide*	1303-86-2	215-125-8	0.01	Toxic for reproduction
75	Formamide	75-12-7	200-842-0	0.01	Toxic for reproduction
76	Lead(II) bis(methanesulfonate)*	17570-76-2	401-750-5	0.01	Toxic for reproduction
77	TGIC (1,3,5- tris(oxiranylmethyl)- 1,3,5-triazine- 2,4,6(1H,3H,5H)-trione) [§]	2451-62-9	219-514-3	0.005	Mutagenic
78	β-TGIC (1,3,5-tris[(2S and 2R)-2,3- epoxypropyl]-1,3,5- triazine-2,4,6- (1H,3H,5H)-trione) [§]	59653-74-6	423-400-0	0.005	Mutagenic
79	4,4'- bis(dimethylamino)benzo phenone (Michler's ketone)	90-94-8	202-027-5	0.005	Carcinogenic
80	N,N,N',N'-tetramethyl- 4,4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	0.005	Carcinogenic



81	[4-[4,4'- bis(dimethylamino) benzhydrylidene]cyclohex a-2,5-dien-1- ylidene]dimethylammoniu m chloride (C.I. Basic Violet 3)	548-62-9	208-953-6	0.005	Carcinogenic
82	[4-[[4-anilino-1- naphthyl][4- (dimethylamino) phenyl]methylene]cycloh exa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	2580-56-5	219-943-6	0.005	Carcinogenic
83	α,α-Bis[4- (dimethylamino)phenyl]-4 (phenylamino)naphthalen e-1-methanol (C.I. Solvent Blue 4)	6786-83-0	229-851-8	0.01	Carcinogenic
84	4,4'-bis(dimethylamino)- 4"-(methylamino)trityl alcohol	561-41-1	209-218-2	0.005	Carcinogenic
85	Bis(pentabromophenyl) ether (DecaBDE)	1163-19-5	214-604-9	0.005	Persistent, bioaccumulative and toxic; very persistent and very bioaccumulative
86	N,N-dimethylformamide; dimethyl formamide	68-12-2	200-679-5	0.005	Toxic for reproduction
87	Methoxy acetic acid	625-45-6	210-894-6	0.005	Toxic for reproduction ; equivalent level of concern
88	Dibutyltin dichloride (DBT)*	683-18-1	211-670-0	0.01	Toxic for reproduction
89	1,2-Diethoxyethane	629-14-1	211-076-1	0.005	Toxic for reproduction
90	Hexahydro-2-benzofuran- 1,3-dione (HHPA), cis- cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane-1,2- dicarboxylic anhydride	85-42-7, 13149-00-3, 14166-21-3	201-604-9, 236-086-3, 238-009-9	0.01	Equivalent level of concern
91	Hexahydromethylphathalic anhydride, Hexahydro-4- methylphathalic anhydride, Hexahydro-1- methylphathalic anhydride, Hexahydro-3- methylphathalic anhydride	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	247-094-1, 243-072-0, 256-356-4, 260-566-1	0.005	Equivalent level of concern



92	4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	-	-	0.005	Equivalent level of concern
93	Heptacosafluorotetradecan oic acid	376-06-7	206-803-4	0.005	Very persistent and very bioaccumulative
94	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear ⁺	84777-06-0	284-032-2	0.005	Toxic for reproduction
95	Henicosafluoroundecanoic acid	2058-94-8	218-165-4	0.005	Very persistent and very bioaccumulative
96	N-pentyl-isopentylphtalate (iPnPP) ⁺	776297-69-9	-	0.005	Toxic for reproduction
97	Pentacosafluorotridecanoic acid	72629-94-8	276-745-2	0.005	Very persistent and very bioaccumulative
98	4-(1,1,3,3- tetramethylbutyl)phenol, ethoxylated - covering well-defined substances and UVCB substances, polymers and homologues	-	-	0.005	Equivalent level of concern
99	Tricosafluorododecanoic acid	307-55-1	206-203-2	0.005	Very persistent and very bioaccumulative
100	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	0.01	Toxic for reproduction
101	Lead tetroxide (orange lead)*	1314-41-6	215-235-6	0.01	Toxic for reproduction
102	Diethyl sulphate	64-67-5	200-589-6	0.005	Carcinogenic; Mutagenic
103	Dinoseb	88-85-7	201-861-7	0.005	Toxic for reproduction
104	Lead Titanium Zirconium Oxide*	12626-81-2	235-727-4	0.01	Toxic for reproduction
105	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	0.01	Toxic for reproduction
106	Furan	110-00-9	203-727-3	0.01	Carcinogenic
107	N-methylacetamide	79-16-3	201-182-6	0.005	Toxic for reproduction
108	o-Toluidine; 2-Aminotoluene	95-53-4	202-429-0	0.005	Carcinogenic
109	3-ethyl-2-methyl-2-(3- methylbutyl)-1,3- oxazolidine	143860-04-2	421-150-7	0.01	Toxic for reproduction
110	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.005	Carcinogenic; Mutagenic



: (9317)213-0078-R1 : Sep 27, 2017 : 20 OF 25

111	[Phthalato(2-)]dioxotrilead (Dibasic lead phthalate)*	69011-06-9	273-688-5	0.01	Toxic for reproduction
112	Lead titanium trioxide*	12060-00-3	235-038-9	0.01	Toxic for reproduction
113	Lead oxide sulphate*	12036-76-9	234-853-7	0.01	Toxic for reproduction
114	Lead dinitrate*	10099-74-8	233-245-9	0.01	Toxic for reproduction
115	4-Aminoazobenzene; 4-Phenylazoaniline	60-09-3	200-453-6	0.005	Carcinogenic
116	Lead cyanamidate*	20837-86-9	244-073-9	0.01	Toxic for reproduction
117	Tetralead trioxide sulphate*	12202-17-4	235-380-9	0.01	Toxic for reproduction
118	4-methyl-m- phenylenediamine (2,4- toluene-diamine)	95-80-7	202-453-1	0.005	Carcinogenic
119	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	0.01	Toxic for reproduction
120	Trilead bis(carbonate)dihydroxide (basic lead carbonate)*	1319-46-6	215-290-6	0.01	Toxic for reproduction
121	Dimethyl sulphate	77-78-1	201-058-1	0.005	Carcinogenic
122	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	0.01	Toxic for reproduction
123	Silicic acid, barium salt, lead-doped*	68784-75-8	272-271-5	0.01	Toxic for reproduction
124	Biphenyl-4-ylamine	92-67-1	202-177-1	0.005	Carcinogenic
125	Lead oxide (lead monoxide)*	1317-36-8	215-267-0	0.01	Toxic for reproduction
126	Pentalead tetraoxide sulphate*	12065-90-6	235-067-7	0.01	Toxic for reproduction
127	Propylene oxide; 1,2-epoxypropane; methyloxirane	75-56-9	200-879-2	0.01	Carcinogenic; Mutagenic
128	Silicic acid, lead salt*	11120-22-2	234-363-3	0.01	Toxic for reproduction
129	Trilead dioxide phosphonate*	12141-20-7	235-252-2	0.01	Toxic for reproduction
130	o-aminoazotoluene	97-56-3	202-591-2	0.005	Carcinogenic
131	1-bromopropane	106-94-5	203-445-0	0.01	Toxic for reproduction
132	6-methoxy-m-toluidine (p- cresidine)	120-71-8	204-419-1	0.005	Carcinogenic
133	4,4'-methylenedi-o- toluidine	838-88-0	212-658-8	0.005	Carcinogenic
134	Tetraethyllead*	78-00-2	201-075-4	0.01	Toxic for reproduction
135	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	0.01	Toxic for reproduction
136	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	0.01	Toxic for reproduction
137	Diisopentylphthalate +	605-50-5	210-088-4	0.005	Toxic for reproduction
138	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	204-650-8	0.01	Equivalent level of concern
139	Cadmium*	7440-43-9	231-152-8	0.01	Carcinogenic; Equivalent level of concern



140	Cadmium oxide*	1306-19-0	215-146-2	0.01	Carcinogenic; Equivalent level of concern
141	Dipentyl phthalate (DPP) +	131-18-0	205-017-9	0.005	Toxic for reproduction
142	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well- defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	-	-	0.005	Equivalent level of concern
143	Ammonium pentadecafluorooctanoate (APFO) [≠]	3825-26-1	223-320-4	0.005	Toxic for reproduction; PBT
144	Pentadecafluorooctanoic acid (PFOA) [≠]	335-67-1	206-397-9	0.005	Toxic for reproduction; PBT
145	Cadmium sulphide	1306-23-6	215-147-8	0.01	Carcinogenic; Equivalent level of concern
146	Dihexyl phthalate	84-75-3	201-559-5	0.005	Toxic for reproduction
147	Disodium 3,3'-[[1,1'- biphenyl]-4,4'- diylbis(azo)]bis(4- aminonaphthalene-1- sulphonate) (C.I. Direct Red 28)	573-58-0	209-358-4	0.005	Carcinogenic
148	Disodium 4-amino-3-[[4'- [(2,4- diaminophenyl)azo][1,1'- biphenyl]-4-yl]azo] -5- hydroxy-6- (phenylazo)naphthalene- 2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	217-710-3	0.005	Carcinogenic
149	Imidazolidine-2-thione (2- imidazoline-2-thiol)	96-45-7	202-506-9	0.005	Toxic for reproduction
150	Lead di(acetate)	301-04-2	206-104-4	0.01	Toxic for reproduction
151	Trixylyl phosphate	25155-23-1	246-677-8	0.005	Toxic for reproduction
152	Cadmium chloride*	10108-64-2	233-296-7	0.01	Carcinogenic; Mutagenic; Toxic for Reproduction; Equivalent level of concern having probable serious effects to human health

This Test Report cannot be reproduced, except in full, without prior written permission of the



LAB NO. : (9317)213-0078-R1 : Sep 27, 2017 : 22 OF 25

153	1,2-Benzenedicarboxylic acid, dihexyl ester,	68515-50-4	271-093-5	0.005	Toxic for reproduction
	branched and linear ⁺⁺ Sodium				
154	peroxometaborate*	7632-04-4	231-556-4	0.01	Toxic for reproduction
155	Sodium perborate; perboric acid, sodium salt*	-	239-172-9; 234-390-0	0.01	Toxic for reproduction
156	Cadmium fluoride *	7790-79-6	232-222-0	0.01	Carcinogenic; Mutagenic; Toxic for Reproduction; Equivalent level of concern having probable serious effects to human health
157	Cadmium sulphate *	10124-36-4; 31119-53-6	233-331-6	0.01	Carcinogenic; Mutagenic; Toxic for Reproduction; Equivalent level of concern having probable serious effects to human health
158	2-benzotriazol-2-yl-4,6- di-tert-butylphenol (UV- 320)	3846-71-7	223-346-6	0.005	PBT; vPvB
159	2-(2H-benzotriazol-2-yl)- 4,6-ditertpentylphenol (UV-328)	25973-55-1	247-384-8	0.005	PBT; vPvB
160	2-ethylhexyl 10-ethyl-4,4- dioctyl-7-oxo-8-oxa-3,5- dithia-4- stannatetradecanoate (DOTE) *	15571-58-1	239-622-4	0.01	Toxic for Reproduction
161	Reaction mass of 2- ethylhexyl 10-ethyl-4,4- dioctyl-7-oxo-8-oxa-3,5- dithia-4- stannatetradecanoate and 2-ethylhexyl 10-ethyl-4- [[2-[(2-ethylhexyl)oxy]-2- oxoethyl]thio]-4-octyl-7- oxo-8-oxa-3,5-dithia-4- stannatetradecanoate (reaction mass of DOTE and MOTE) *	-	-	0.01	Toxic for Reproduction
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2- benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with \geq 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5; 68648-93-1	271-094-0; 272-013-1	0.01	Toxic for reproduction



				r	
163	5-sec-butyl-2-(2,4- dimethylcyclohex-3-en-1- yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6- dimethylcyclohex-3-en-1- yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	-	-	0.01	Very persistent and very bioaccumulative
164	1,3-propanesultone	1120-71-4	214-317-9	0.01	Carcinogenic
165	2,4-di-tert-butyl-6-(5- chlorobenzotriazol-2- yl)phenol (UV-327)	3864-99-1	223-383-8	0.005	vPvB
166	2-(2H-benzotriazol-2-yl)- 4-(tert-butyl)-6-(sec- butyl)phenol (UV-350)	36437-37-3	253-037-1	0.005	vPvB
167	Nitrobenzene	98-95-3	202-716-0	0.01	Toxic for reproduction
168	Perfluorononan-1-oic acid acid and its sodium and ammonium salts	375-95-1; 21049-39-8; 4149-60-4	206-801-3	0.01	Toxic for reproduction; PBT
169	Benzo[def]chrysene (benzo[a]pyrene)	200-028-5	50-32-8	0.005	Carcinogenic; Mutagenic; Toxic for Reproduction; PBT; vPvB
170	4,4'- isopropylidenediphenol (bisphenol A; BPA)	80-05-7	201-245-8	0.005	Toxic for reproduction (Article 57 c)
171	4-Heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] (4-Hpbl)	-	-	0.005	Equivalent level of concern having probable serious effects to the environment (Article 57 f)
172	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3830-45-3, 335-76-2, 3108-42-7	-, 206-400-3, 221-470-5	0.005	Toxic for reproduction (Article 57 c); PBT (Article 57 d)
173	p-(1,1- dimethylpropyl)phenol (PTAP)	80-46-6	201-280-9	0.05	Equivalent level of concern having probable serious effects to the environment (Article 57 f)



salts (PFHxS)		174	Perfluorohexane-1- sulphonic acid and its salts (PFHxS)	-	-	0.005	vPvB
---------------	--	-----	---	---	---	-------	------

⁽¹⁾ CAS no. 7789-12-0 refers to sodium dichromate dihydrate

- ⁽²⁾ CAS no. 10588-01-9 refers to anhydrous sodium dichromate
- ⁽³⁾ CAS no. 3194-55-6 refers to a specific HBCDD 1,2,5,6,9,10-hexabromocyclododecane

⁽⁴⁾ CAS no. 25637-99-4 refers to unspecific HBCDD isomer composition

- ⁽⁵⁾ CAS no. 1330-43-4 refers to disodium tetraborate, anhydrous
- ⁽⁶⁾ CAS no. 12179-04-3 refers to sodium tetraborate, pentahydrate

⁽⁷⁾ CAS no. 1303-96-4 refers to sodium tetraborate, decahydrate

Method: Analysis is based on GC, LC, IC, ICP, with various detection techniques and UV.

Remark:

- 1. PBT = Persistent, bio accumulative and toxic as defined in Regulation (EC) No 1907/2006
- 2. vPvB = Very persistent and very bio accumulative as defined in Regulation (EC) No 1907/2006
- 3. ND = Not Detected
- 4. *Result is based on the heavy metal or inorganic element concentration. Due to the limit of the analytical technology available, any further investigation is not feasible. The client is strongly advised to review the chemical formulation to ascertain.
- 5. **Result is identified by tributyltin (TBT). Due to the limit of the analytical technology available, any further investigation is not feasible. The client is strongly advised to review the chemical formulation to ascertain.
- 6. TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione) and β -TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) are reported as a mixture.
- ^aRefer to Aluminosilicate, Refractory Ceramic Fibres fulfil the three following conditions: a) oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μm) c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight.
- ^bRefer to Zirconia Aluminosilicate, Refractory Ceramic Fibres fulfil the three following conditions: a) 8. oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric or less micrometres (µm). alkaline oxide and alkali earth errors of 6 c) oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight.
- 9. ⁺[1,2-Benzenedicarboxylic acid, dipentylester, branched and linear] is a mixture of phthalates contains DPP, DIPP and N-pentyl-isopentylphtalate.
- 10. [≠]PFOA and APFO are reported together. The result is based on PFOA concentration. Due to the limit of the analytical technology available, any further investigation is not feasible. The client is strongly advised to review the chemical formulation to ascertain.
- 11. ⁺⁺[1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear] is a mixture of phthalates contains dihexyl phthalate.
- 12. dResult is based on the tin metal concentration, and further confirmation for checking DBT, DOTE & MOTE concentration.
- 13. If the article contains a material type whose weight is <0.1% of the total article weight, this material type is ignored for testing.

only. company



(9317)213-0078-R1 Sep 27, 2017 : 25 OF 25 •

:

Note:

- 1. The limit of 0.1% (w/w) applies to an article. The results were calculated assuming as the submitted sample was an article. However, the results may not be applicable if the intended use of the sample is a substance or mixture. According to REACH, definition of an article, substance and mixture are:
 - i. Article - An object during production is given a special shape, surface or design which determines its function to a greater degree than does its chemical composition
 - ii. Substance - A chemical element and its compound in the natural state or obtained by any manufacturing process
 - Mixture (Previously known as "Preparation") A mixture or solution composed of two or more iii. substances
- 2. In accordance of Article 7 of Regulation (EC) No. 1907/2006 (REACH regulation) Registration and notification of substances in articles, any producer or importer of articles shall notify ECHA, if a substance meets in criteria in Article 57 and is identified in accordance with Article 59(1), if both (1) the substance is present in those articles in quantities totalling over 1 tonne per producer or importer per year & (2) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w) are met. The information to be notified shall include (a) identity and contact details of the producer or importer, (b) the registration numbers, (c) the identity of the substance and (d) the classification of the substance, (e) a brief description of the use of the substance and (f) the tonnage range of the substance.
- In accordance of Article 33 of Regulation (EC) No. 1907/2006 (REACH regulation) Duty to communicate 3. information on substances in articles, any supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance. On request by a consumer the relevant information shall be provided by any supplier of an article free of charge, within 45 days of receipt of the request.

END